


Seal MadX 8.0s

8,000 LB Extreme Racing Winch with 25 mpm Line Speed

- 12V DC severe duty winch rated at 8,000 lb pulling meets or exceeds your expectations.
- Heavy duty series wound motor equipped with thermal switch alters when motor over-heating.
- 16 equally positioned pin holes with a stainless steel ergonomic T-handle make it possible to reposition in 22.5 degree Increments.
- Water-proof remote control with thermometric LED indicator w/5 m cord
- Tough aluminum die cast housings withstand strength of 2.0 x rated load of winch
- The U.S. Germany, U.K. France, etc patented mechanical cone brake outside the drum expedites heat dispersion. The greater the load on the rope, the greater amount of braking is generated by the mechanism
- Meets SAE J706, CE Machinery Directive 2006/42/EC and CE Electromagnetic Compatibility Directive 2014/30/EU..



- **Part number:** PN 296065 (12V) 10" Long Drum
- **Rated line pull:** 3,630 kg / 8,000 lb single line
- **Motor:** 5,250 w / 7.0 hp 12V series wound
- **Gear ratio:** 3-stage planetary 67:1
- **Clutch (freespooling):** Rotating ring gear
- **Brake (outside the drum):** Automatic, full load CBS (Cone Brake Structure)
- **Winch construction:** Aluminum die cast housings with steel drum
- **Drum size:** 63.5 mm x 227L mm (2.5" x 8.9"L)
- **Control:** Waterproof remote with thermometric indicator LED w/ 5 m (17') cord
- **Rope type:** Synthetic rope
- **Rope size:** 10 mm x 30.5 m (3/8" x 100')
- **Mounting bolt pattern:** 254 mm x 114 mm (10" x 4.5")
- **Mounting:** Foot forward or foot down mounting workable
- **Finish :** Matte black powder-coated

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Новый Уренгой (815)22-31-16
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Казахстан +7(7172)727-132


Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Seal MadX 8.0s LD

8,000 LB Extreme Racing Winch with 25 mpm Line Speed

- 12V DC severe duty winch rated at 8,000 lb pulling meets or exceeds your expectations.
- Heavy duty series wound motor equipped with thermal switch alters when motor over-heating.
- 16 equally positioned pin holes with a stainless steel ergonomic T-handle make it possible to reposition in 22.5 degree Increments.
- Water-proof remote control with thermometric LED indicator w/5 m cord
- Tough aluminum die cast housings withstand strength of 2.0 x rated load of winch
- The U.S. Germany, U.K. France, etc patented mechanical cone brake outside the drum expedites heat dispersion. The greater the load on the rope, the greater amount of braking is generated by the mechanism
- Meets SAE J706, CE Machinery Directive 2006/42/EC and CE Electromagnetic Compatibility Directive 2014/30/EU.




- **Part number:** PN 296060
- **Rated line pull:** 3,630 kg / 8,000 lb single line
- **Motor:** 5,250 w / 7.0 hp 12V series wound
- **Gear ratio:** 3-stage planetary 67:1
- **Clutch (freespooling):** Rotating ring gear
- **Brake (outside the drum):** Automatic, full load CBS (Cone Brake Structure)
- **Winch construction:** Aluminum die cast housings with steel drum
- **Drum size:** 63.5 mm x 227L mm (2.5" x 8.9"L)
- **Control:** Waterproof remote with thermometric indicator LED w/ 5 m (17') cord
- **Recommended battery :** 650 CCA minimum for winching
- **Battery lead :** 1.8 m (6') 2 gauge battery lead
- **Mounting bolt pattern:** 254 mm x 114 mm (10" x 4.5")
- **Mounting :** Foot forward or foot down mounting workable
- **Finish :** Matte black powder-coated

Seal MadX 8.0s MD

8,000 LB Extreme Racing Winch with 25 mpm Line Speed

- 12V DC severe duty winch rated at 8,000 lb pulling meets or exceeds your expectations.
- Heavy duty series wound motor equipped with thermal switch alters when motor over-heating.
- 16 equally positioned pin holes with a stainless steel ergonomic T-handle make it possible to reposition in 22.5 degree Increments.
- Water-proof remote control with thermometric LED indicator w/5 m cord
- Tough aluminum die cast housings withstand strength of 2.0 x rated load of winch
- The U.S. Germany, U.K. France, etc patented mechanical cone brake outside the drum expedites heat dispersion. The greater the load on the rope, the greater amount of braking is generated by the mechanism
- Meets SAE J706, CE Machinery Directive 2006/42/EC and CE Electromagnetic Compatibility Directive 2014/30/EU.




- **Part number:** PN 296155
- **Rated line pull:** 3,630 kg / 8,000 lb single line
- **Motor:** 5,250 w / 7.0 hp 12V series wound
- **Gear ratio:** 3-stage planetary 67:1
- **Clutch (freespooling):** Rotating ring gear
- **Brake (outside the drum):** Automatic, full load CBS (Cone Brake Structure)
- **Winch construction:** Aluminum die cast housings with steel drum
- **Drum size:** 63.5 mm x 176.2L mm (2.5" x 6.9"L)
- **Control:** Waterproof remote with thermometric indicator LED w/ 5 m (17') cord
- **Recommended battery :** 650 CCA minimum for winching
- **Battery lead :** 1.8 m (6') 2 gauge battery lead
- **Mounting bolt pattern:** 203.2 mm x 114 mm (8.0" x 4.5")
- **Mounting :** Foot forward or foot down mounting workable
- **Finish :** Matte black powder-coated

Seal MadX 8.0s SD

8,000 LB Extreme Racing Winch with 25 mpm Line Speed

- 12V DC severe duty winch rated at 8,000 lb pulling meets or exceeds your expectations.
- Heavy duty series wound motor equipped with thermal switch alters when motor over-heating.
- 16 equally positioned pin holes with a stainless steel ergonomic T-handle make it possible to reposition in 22.5 degree Increments.
- Water-proof remote control with thermometric LED indicator w/5 m cord
- Tough aluminum die cast housings withstand strength of 2.0 x rated load of winch
- The U.S. Germany, U.K. France, etc patented mechanical cone brake outside the drum expedites heat dispersion. The greater the load on the rope, the greater amount of braking is generated by the mechanism
- Meets SAE J706, CE Machinery Directive 2006/42/EC and CE Electromagnetic Compatibility Directive 2014/30/EU.



Part number: PN 296088

- **Rated line pull:** 3,630 kg / 8,000 lb single line
- **Motor:** 5,250 w / 7.0 hp 12V series wound
- **Gear ratio:** 3-stage planetary 67:1
- **Clutch (freespooling):** Rotating ring gear
- **Brake (outside the drum):** Automatic, full load CBS (Cone Brake Structure)
- **Winch construction:** Aluminum die cast housings with steel drum
- **Drum size:** 63.5 mm x 125.4L mm (2.5" x 4.9"L)
- **Control:** Waterproof remote with thermometric indicator LED w/ 5 m (17') cord
- **Recommended battery :** 650 CCA minimum for winching
- **Battery lead :** 1.8 m (6') 2 gauge battery lead
- **Mounting bolt pattern:** 152.4 mm x 114 mm (6.0" x 4.5")
- **Mounting :** Foot forward or foot down mounting workable
- **Finish :** Matte black powder-coated

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (841)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Колотна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Россия +7(495)268-04-70

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Казахстан +7(7172)727-132

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Киргизия +996(312)96-26-47

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

<https://comeup.nt-rt.ru/> || cpb@nt-rt.ru